



	Product name : Q3 PROTECTIVE BUTTERFLY MASK		
	Brand: The Purple's		
	Level of Protection: FFP3 NR		
	Type: Earloop Fold-flat		
	Size: 12*15CM		
	Materials: Mask Body, Sponge Bar, Nose Clip, Elastic, Hook		
	Notified Body Number 0370 Certified by: LGAI Technological Center, S.A. Campus UAB- Ronda de ka Font del Cames s/n 08193 Bellaterra, Spain		
	Usage time: 3 years		
<p>Mask body</p> 	<b>Components</b>		
	Outer layer:	SS Non-woven fabric 50 grams	<ul style="list-style-type: none"> <li>• Material: polypropylene</li> <li>• Thickness: 0.8</li> <li>• Weight: 50±5g/ m<sup>2</sup></li> <li>• Color: White</li> <li>• PH: 6.6</li> </ul>
	Filtering layers:	Melt-blown fabric 25 grams *3	<ul style="list-style-type: none"> <li>• Material: Filtering PP</li> <li>• Weight: 25±3g/ m<sup>2</sup></li> <li>• Color: White</li> </ul>
	Core layer:	Hot air cotton 35 grams	<ul style="list-style-type: none"> <li>• Material: polypropylene</li> <li>• Weight: 35±3g/ m<sup>2</sup></li> <li>• Color: White</li> <li>• PH: 6.8</li> </ul>
	Inner layer:	SS Non-woven fabric 25 grams	<ul style="list-style-type: none"> <li>• Material: polypropylene</li> <li>• Thickness: 0.8</li> <li>• Weight: 25±5g/ m<sup>2</sup></li> <li>• Color: White</li> <li>• PH: 6.6</li> </ul>
Elastics	<ul style="list-style-type: none"> <li>• Material: Polyamide+Polyurethane</li> <li>• Latex Free</li> <li>• Tensile strength at break: &gt;10N</li> <li>• Elongation at break: &gt;240%</li> <li>• Size: Length: 200mm±3mm Width: 5mm±1mm</li> <li>• Color: White</li> </ul>		



Nose Clip	<ul style="list-style-type: none"> <li>● Material: Iron wire, PP</li> <li>● Size: Length: 90mm±3mm Width: 7mm±1mm</li> <li>● Purpose: Shaping</li> </ul>		
Sponge bar	<ul style="list-style-type: none"> <li>● Material: High-density, Low resilience foam</li> <li>● Size: Length: 90mm±3mm Width: 10mm±2mm Thickness: 4mm</li> </ul>		
Hook	<ul style="list-style-type: none"> <li>● Material: PVC</li> <li>● Size: Length: 52mm±2mm Width: 15mm±2mm</li> </ul>		
Test Equipment:	ATI 100Xp	Test Standard:	EN 149:2001+A1:2009 PENETRATION<1% RESISTANCE<30mmH2O
Test Method:	95L/min		
<p>Intended use: The protective mask is intended used for protection against solid and oily particulates, liquid and coal dust, cement dust, etc.</p> <p>SUGGESTED STORAGE Temperature: Between -20 and 38 Humidity: Below 80% Frequency: To be kept away from high frequency equipment</p> <p>Country of origin: China</p>			
		 Manufacturer: Zhejiang The Purples Protective Products Co., Ltd.	Address: No. 45, Suhua Street, Suxi Town, Yiwu, Zhejiang Province, China 
		<a href="http://www.thepurplesmask.com">www.thepurplesmask.com</a>   <a href="mailto:sales@thepurplesmask.com">sales@thepurplesmask.com</a>	

Spec	Inner Box	Carton	1x20'GP	1x40'HQ
1pcs/bag	13*13*13cm 25PCS	67*41*54cm 60 boxes 1500PCS	200 300,000	468 702,000



